

BINOCULARS

 **BRAUN[®]**



Superior front glasses of top-ranking quality: the ED series



The BRAUN Premium binoculars of the ED series offer your perfect view even at dusk. The use of ED glass for the front lenses reduces colour errors to a minimum. Extra low dispersion glass offers excellent visual experiences with bright and high-contrast images, even at dusk. Ideal for hunting, safaris and other activities with poor lighting conditions.



BRAUN Premium 10x56 WP-ED

Magnification: 10x
ULTRALIT® glass lens
Lens diameter: 56 mm
Exit pupil: 5.6 mm
Eye relief: 18.2 mm
Field of view: 6.0°, 105 m / 1000 m
Close focus distance: 3 m
Dimensions: 165 x 148 x 66 mm
Weight: 1096 g

item no. 20159



Minimal colour errors - High light value



BRAUN Premium 8x56 WP-ED

Magnification: 8x
ULTRALIT® glass lens
Lens diameter: 56 mm
Exit pupil: 7.0 mm
Eye relief: 23 mm
Field of view: 6.1°, 107 m / 1000 m
Close focus distance: 3 m
Dimensions: 165 x 148 x 66 mm
Weight: 1086 g

item no. 20158



Bright and rich in contrast

High-grade binoculars for highest demands



Take the BRAUN Premium binoculars to be on tour with a true sense of style: high mechanical quality, speciality alloy and rubber armour covering as well as sophisticated multilayer coatings of all lenses make these binoculars premium-class products. Absolutely waterproof, fogproof and dustproof: full-sized binoculars for highest demands!



BRAUN Premium 10 x 42 waterproof

Magnification: 10x
ULTRALIT® glass lens
Lens diameter: 42 mm
Exit pupil: 4.2 mm
Eye relief: 15 mm
Field of view: 6.8°, 114 m / 1000 m
Close focus distance: 1.2 m
Dimensions: 140 x 110 x 51 mm
Weight: 780 g

item no. 20157



High magnification factor

BRAUN Premium 8 x 42 waterproof

Magnification: 8x
ULTRALIT® glass lens
Lens diameter: 42 mm
Exit pupil: 5.25 mm
Eye relief: 18 mm
Field of view: 7.4°, 129 m / 1000 m
Close focus distance: 1.2 m
Dimensions: 140 x 110 x 51 mm
Weight: 780 g

item no. 20156



Wide field of view (roof principle)

The Compagno series: practical, compact and most modern in design



The BRAUN Compagno series for sports, fun and games. High quality waterproof binoculars in cutting-edge design which are distinguished by excellent optical quality. No fogging due to nitrogen filling.



BRAUN COMPAGNO 8 x 26 WP

Magnification: 8x
ULTRALIT® glass lens
Lens diameter: 26 mm
Field of view: 6,8°, 118,6 m / 1000 m
Exit pupil: 3,25 mm
Eye relief: 16,0 mm
Waterproof: 0,5 m / 15 min.
Dimensions: 117 x 115 x 40 mm
Weight: 325 g

item no. 20000



BRAUN COMPAGNO 10 x 26 WP

Magnification: 10x
ULTRALIT® glass lens
Lens diameter: 26 mm
Field of view: 5,6°, 98 m / 1000 m
Exit pupil: 2,6 mm
Eye relief: 14,1 mm
Waterproof: 0,5 m / 15 min.
Dimensions: 117 x 115 x 40 mm
Weight: 325 g

item no. 20001



BRAUN COMPAGNO 8 x 34 WP

Magnification: 8x
ULTRALIT® glass lens
Lens diameter: 34 mm
Field of view: 7,0°, 124 m / 1000 m
Exit pupil: 4,2 mm
Eye relief: 17,4 mm
Waterproof: 0,5 m / 15 min.
Dimensions: 130 x 126 x 45 mm
Weight: 450 g

item no. 20002



The Compagno series: practical, compact and most modern in design



The BRAUN Compagno series for sports, fun and games. High quality waterproof binoculars in cutting-edge design which are distinguished by excellent optical quality. No fogging due to nitrogen filling.



BRAUN COMPAGNO 10 x 34 WP

Magnification: 10x
ULTRALIT® glass lens
Lens diameter: 34 mm
Field of view: 6,0°, 106 m / 1000 m
Exit pupil: 3,3 mm
Eye relief: 16 mm
Waterproof: 0,5 m / 15 min.
Dimensions: 130 x 126 x 45 mm
Weight: 450 g

item no. 20003

BRAUN COMPAGNO 8 x 42 WP



Magnification: 8x
ULTRALIT® glass lens
Lens diameter: 42 mm
Field of view: 7,1°, 124 m / 1000 m
Exit pupil: 5,2 mm
Eye relief: 17,3 mm
Waterproof: 0,5 m / 15 min.
Dimensions: 146 x 135 x 55 mm
Weight: 550 g

item no. 20004



BRAUN COMPAGNO 10 x 42 WP

Magnification: 10x
ULTRALIT® glass lens
Lens diameter: 42 mm
Field of view: 6,1°, 106 m / 1000 m
Exit pupil: 4,2 mm
Eye relief: 16,1 mm
Waterproof: 0,5 m / 15 min.
Dimensions: 146 x 135 x 55 mm
Weight: 550 g

item no. 20005

Waterproof Well proven optics



Be close to the horizon with BRAUN binoculars. Our **nitrogen filled** and **waterproof** binoculars of the WATERPROOF edition were especially designed for use at sea. A reliable and long-lasting use is guaranteed.



BRAUN Premium 10 x 50 waterproof

Magnification: 10x
ULTRALIT® glass lens
Lens diameter: 50 mm
Field of view: 6.5°, 114 m / 1000 m
Exit pupil: 5.0 mm
Eye relief: 16.16 mm
Waterproof: 0.5 m / 15 min.
Dimensions: 181 x 175 x 75 mm
Weight: 940 g

item no. 20161



BRAUN Premium 7 x 50 waterproof

Magnification: 7x
ULTRALIT® glass lens
Lens diameter: 50 mm
Field of view: 6.6°, 116 m / 1000 m
Exit pupil: 7.0 mm
Eye relief: 24.7 mm
Waterproof: 0.5 m / 15 min.
Dimensions: 181 x 175 x 75 mm
Weight: 940 g

item no. 20160




BRAUN binocular 8x42 waterproof

Magnification: 8x
ULTRALIT® glass lens
Lens diameter: 42 mm
Field of view: 6.8°, 119 m / 1000 m
Exit pupil: 5.2 mm
Eye relief: 17.8 mm
Waterproof: 1.5 m / 3 min.
Dimensions: 146 x 53 x 126 mm
Weight: 670 g

item no. 20150

Nitrogen filled for fogproof protection





Be sure of special outdoor adventures with BRAUN binoculars. Their compact design makes the binoculars an ideal companion on your tour and are a must-have for any outdoor equipment. They are ideal for trekking, mountain biking, cross country or any other use "out and about".



**BRAUN Trekking
10x32 waterproof**

Magnification: 10x
ULTRALIT® glass lens
Lens diameter: 32 mm
Exit pupil: 3.2 mm
Eye relief: 15 mm
Field of view: 5.5°, 96 m / 1000 m
Close focus distance: 1.5 m
Dimensions: 100 x 107 x 48 mm
Weight: 500 g

item no. 20155

**BRAUN Trekking
8x32 waterproof**

Magnification: 8x
ULTRALIT® glass lens
Lens diameter: 32 mm
Exit pupil: 4.0 mm
Eye relief: 16 mm
Field of view: 7.5°, 131 m / 1000 m
Close focus distance: 1.5 m
Dimensions: 110 x 107 x 48 mm
Weight: 500 g

item no. 20154



**BRAUN Trekking
10x25 waterproof**


Magnification: 10x
ULTRALIT® glass lens
Lens diameter: 25 mm
Exit pupil: 2.5 mm
Eye relief: 15.5 mm
Field of view: 5.5°, 96 m / 1000 m
Close focus distance: 1.5 m
Dimensions: 100 x 105 x 48 mm
Weight: 290 g

item no. 20153



Compact design

Distance measurement Compass



The BRAUN Monocular is prepared for special application under free sky. Especially robustly, waterproof to us very compactly. The 8x42 WP-C Monocular is equipped with a compass and a crosshair to the regulation of the distances of the sighted objects



BRAUN Monocular 8 x 42 WP-C

Magnification: 8 x
ULTRALIT® glass lens
Lens diameter: 42 mm
Field of view: 7.0°, 112 m / 1000 m
Exit pupil: 5.25 mm
Eye relief: 18.0 mm
Waterproof: 0.5 m / 20 min.
Dimensions: 61 x 65 x 143 mm
Wight: 340 g

item no. 20140



Robustly - Waterproof - Compactly



Perspective: South (180°)

Compass:
With a compass the direction is read in degree.
The north has an Aziunt from 360°
the east from 90°
the south from 180° und
the west from 270°

**Variable magnification
High light value**



**BRAUN binocular
10-30x60 zoom**

Magnification: 10-30x
ULTRALIT® glass lens
Lens diameter: 60 mm
Field of view: 2.0-3.6°, 62-34 m / 1000 m
Exit pupil: 5.8-2.0 mm
Eye relief: 4.5-11.7 mm
Dimensions: 245 x 165 x 78 mm
Weight: 1100 g

item no. 20117



Zoom for versatility

Ready for new adventures with BRAUN binoculars. The perfect travel companions take you directly to the scene of action from a safe distance.


**BRAUN Binocular
8-24 x 50 Zoom**

Magnification: 8-24 x
ULTRALIT® glass lens
Lens diameter: 50 mm
Field of view: 4.5° - 2.3°, 78 - 40 m / 1000 m
Exit pupil: 2.1 - 6.2 mm
Eye relief: 12.5 - 16.5 mm
Dimensions: 190 x 190 x 65 mm
Wight: 850 g

item no. 20168



Zoom for versatility



Universal use
High light value

Overcome distance with BRAUN binoculars.
Discover vastness, height and distance as new dimensions. Look at details of a small and far-off world in a close-up view.



High magnification factor + high light value

BRAUN binocular
16 x 50

Magnification: 16x
ULTRALIT® glass lens
Lens diameter: 50 mm
Field of view: 4.2°, 73 m / 1000 m
Exit pupil: 2.8 mm
Eye relief: 6.6 mm
Dimensions: 157 x 184 x 60 mm
Weight: 790 g

item no. 20124

BRAUN binocular
12 x 50

Magnification: 12x
ULTRALIT® glass lens
Lens diameter: 50 mm
Field of view: 5.2°, 92 m / 1000 m
Exit pupil: 3.6 mm
Eye relief: 12.0 mm
Dimensions: 157 x 184 x 60 mm
Weight: 790 g

item no. 20125



High magnification factor + high light value



High magnification factor + high light value

BRAUN binocular
10 x 50

Magnification: 10x
ULTRALIT® glass lens
Lens diameter: 50 mm
Field of view: 5.7°, 99 m / 1000 m
Exit pupil: 5.0 mm
Eye relief: 11.8 mm
Dimensions: 175 x 180 x 60 mm
Weight: 820 g

item no. 20166



Robustly in use application
Light-strongly in the attractive design



With BRAUN to binoculars qualify the width of the horizon. The glasses of the BINOCULAR series are compact and robust and therefore the ideal companion at your leisure activities



BRAUN Binocular
7 x 50

Magnification: 7 x
ULTRALIT® glass lens
Lens diameter: 50 mm
Field of view: 7.5°, 130 m / 1000 m
Exit pupil: 6.5 mm
Eye relief: 15 mm
Dimensions: 190 x 190 x 65 mm
Weight: 850 g

item no. 20123

High enlargement factor + Light-strongly

BRAUN Binocular
8 x 40

Magnification: 8 x
ULTRALIT® glass lens
Lens diameter: 40 mm
Field of view: 6.6°, 115 m / 1000 m
Exit pupil: 5.0 mm
Eye relief: 11.0 mm
Dimensions: 140 x 175 x 60 mm
Weight: 700 g

item no. 20165



High enlargement factor + Light-strongly

Ultra-compact series
Low weight



BRAUN binoculars take you to the heart of sports and competition. Be it horse riding or motor sports, be it indoor or outdoor: our lightweight, ultra-compact binoculars will make your visit to an event an unforgettable experience.



BRAUN binocular
10x25 titanium-black

Magnification: 10x
ULTRALIT® glass lens
Lens diameter: 25 mm
Field of view: 5.8°, 101 m / 1000 m
Exit pupil: 2.5 mm
Eye relief: 10.3 mm
Dimensions: 118 x 66 x 48 mm
Weight: 190 g

item no. 20121

High magnification factor

BRAUN binocular
10x25 black

Magnification: 10x
ULTRALIT® glass lens
Lens diameter: 25 mm
Field of view: 5.8°, 101 m / 1000 m
Exit pupil: 2.5 mm
Eye relief: 10.3 mm
Dimensions: 112 x 65 x 44 mm
Weight: 180 g

item no. 20122



Large field of view



Be very close to your star with BRAUN binoculars. Our lightweight Opera binoculars are the perfect companions for a night at the opera, theatre or concert house. The colours and materials create an appealing look to perfectly match the classiness of the event. The binoculars are available with and without LED light.



**BRAUN Opera
3x25 gold-black**

Magnification: 3x
ULTRALIT® glass lens
Lens diameter: 25 mm
Exit pupil: 8.3 mm
Eye relief: 12.3 mm
Field of view: 6.0°, 105 m / 1000 m
Close focus distance: 3 m
Dimensions: 110 x 50 x 32 mm
Weight: 140 g
item no. 20112

High magnification factor

**BRAUN Opera
3x25 gold-pearl**

Magnification: 3x
ULTRALIT® glass lens
Lens diameter: 25 mm
Exit pupil: 8.3 mm
Eye relief: 12.3 mm
Field of view: 6.0°, 105 m / 1000 m
Close focus distance: 3 m
Dimensions: 110 x 50 x 32 mm
Weight: 140 g

item no. 20113



**BRAUN Opera
3x25 gold-burgundy
with LED light**

Magnification: 3x
ULTRALIT® glass lens
Lens diameter: 25 mm
Exit pupil: 8.3 mm
Eye relief: 12.3 mm
Field of view: 6.0°, 105 m / 1000 m
Close focus distance: 3 m
Dimensions: 110 x 50 x 32 mm
Weight: 140 g

item no. 20114



Large field of view + LED

Precise and perfect vision



The BRAUN Spectiv series. Monocular telescope for earth observation. Lightweight and compact, making it ideal for nature observation in the woods and fields. Ideally suited for surveillance at sports and spotting.



NEW:

Smart Phone Holder Spectiv

Weight: 70 g

item no. 57900



BRAUN Ultralit Spectiv 15 - 45 x 60

ULTRALIT® glass lens
Lens diameter: 60 mm
Field of view: 2,2°-1,2°, 38 m - 21 m
Exit pupil: 4,0-1,5 mm
Eye relief: 12,0-15,0 mm
Waterproof: no
Dimensions: 300 x 60 x 137 mm
Weight: 675 g

item no. 20130

BRAUN Ultralit Spectiv 20 - 60 x 60

ULTRALIT® glass lens
Lens diameter: 60 mm
Field of view: 1,8°-0,9°, 31 m - 16 m
Exit pupil: 3,0-1,0 mm
Eye relief: 13,5-11,0 mm
Waterproof: yes
Dimensions: 335 x 60 x 150 mm
Weight: 775 g

item no. 20131

BRAUN Ultralit Spectiv 20 - 60 x 80

ULTRALIT® glass lens
Lens diameter: 80 mm
Field of view: 1,9°-0,95°, 33 m - 16,5 m
Exit pupil: 4,0-1,3 mm
Eye relief: 13,5-11,0 mm
Waterproof: yes
Dimensions: 438 x 95 x 150 mm
Weight: 1195 g

item no. 20132



**See at night.
Nothing is a secret anymore**



The BRAUN Night Vision 3.0 turns a dark night into daylight. Looking like a cat at night. More to see, more experience, more security. The seeing in twilight and darkness is significantly improved.



**BRAUN
Night Vision 3.0**

Magnification: 3 x
Lens diameter: 14,5 mm
Field of vision: 14°
Field of view at Night: max. 100 m
Infrared: integrated
Exit pupil: 20 mm
Dimensions: 134 x 92 x 47 mm
Weight: 250 g

item no. 20171



BRAUN binoculars excel in robustness, modern design and high-quality optics.



**BRAUN PREMIUM
10x56 WP-ED**

**BRAUN PREMIUM
8x56 WP-ED**

**BRAUN PREMIUM
10x42 waterproof**

**BRAUN PREMIUM
8x42 waterproof**

**BRAUN PREMIUM
10 x 50 WP**

Folder page	3	3	5	5	11
Leisure + travel	●	●	●	●	●
Events	●	●	●	●	●
Outdoor	●	●	●	●	●
Bird + game watching, hunting	●	●	●	●	●
Astronomy	●	●	●	●	●
Magnification	10x	8x	10x	8x	10x
Lens system	ULTRALIT®	ULTRALIT®	ULTRALIT®	ULTRALIT®	ULTRALIT®
Lens diameter	56 mm	56 mm	42 mm	42 mm	50 mm
Light value	31.4	49	17.6	27.6	25
Twilight number	23.7	21.2	20.5	18.3	22.4
Prism	Roof BAK-4	Roof BAK-4	Roof BAK-4	Roof BAK-4	Porro, BAK-4
Lens coating	Compl. multilayer coating	Compl. multilayer coating	Compl. multilayer coating	Compl. multilayer coating	●
Focusing	Central	Central	Central	Central	Central
Exit pupil	5.6 mm	7.0 mm	4.2 mm	5.25 mm	5.0 mm
Eye relief	18.2 mm	23 mm	15 mm	18 mm	16.16 mm
Field of view	6.0°, 105 m / 1000 m	6.1°, 107 m / 1000 m	6.5°, 114 m / 1000 m	7.4°, 129 m / 1000 m	6.5°, 114 m / 1000 m
Close focus distance	3 m	3 m	1.2 m	1.2 m	7 m
Diopter adjustment	-4 / +4	-4 / +4	-4 / +4	-4 / +4	-4 / +4
Interpupillary distance	56–74 mm	56–74 mm	56–74 mm	56–74 mm	56 -72 mm
Waterproof (max. depth/time)	1 m / 5 min.	1 m / 5 min.	1.5 m / 3 min.	1.5 m / 3 min.	0.5 m / 15 min.
Nitrogen filled	●	●	●	●	●
Eyecup system	Rubber twist-up ²	Rubber twist-up ²	Rubber twist-up ²	Rubber twist-up ²	Rubber pop-up ¹
Thread for tripod	●	●	●	●	●
Dimensions	165 x 148 x 66 mm	165 x 148 x 66 mm	140 x 110 x 51 mm	140 x 110 x 51 mm	181 x 175 x 75 mm
Weight	1096 g	1086 g	780 g	780 g	940 g
Item no. / EAN	20159 / 40 00567 20159 5	20158 / 40 00567 20158 8	20157 / 40 00567 20157 1	20156 / 40 00567 20156 4	20161 / 40 00567 20161 8

Accessories: Ever-ready case, carrying strap, cleaning cloth, operating instructions.

Legend: ● = yes, ○ = no, ¹ = fold down eyecups, ² = twist-type snap-on eyecups

BRAUN binoculars excel in robustness, modern design and high-quality optics.



**BRAUN PREMIUM
7 x 50 WP**



**BRAUN Compagno
8 x 26 WP**



**BRAUN Compagno
10 x 26 WP**



**BRAUN Compagno
8 x 34 WP**



**BRAUN Compagno
10 x 34 WP**

Folder page	11	7	7	7	9
Leisure + travel	●	●	●	●	●
Events	●	●	●	●	●
Outdoor	●	●	●	●	●
Bird + game watching, hunting	●	●	●	●	●
Astronomy	●	●	●	●	●
Magnification	7x	8x	10x	8x	10x
Lens system	ULTRALIT®	ULTRALIT®	ULTRALIT®	ULTRALIT®	ULTRALIT®
Lens diameter	50 mm	26 mm	26 mm	34 mm	34 mm
Light value	49	10,6	6,8	17,6	10,9
Twilight number	18.7	14,4	16,1	16,5	18,4
Prism	Porro, BAK-4	Porro, BAK-4	Porro, BAK-4	Porro, BAK-4	Porro, BAK-4
Lens coating	●	-	-	-	-
Focusing	Central	Central	Central	Central	Central
Exit pupil	7.0 mm	3,25 mm	2,6 mm	4,2 mm	3,3 mm
Eye relief	27.4 mm	16,0 mm	14,1 mm	17,4 mm	16,0 mm
Field of view	6.6°, 116 m / 1000 m	6,8°, 118,6 m / 1000 m	5,6°, 98 m / 1000 m	7,0°, 124 m / 1000 m	6,0°, 106 m / 1000 m
Close focus distance	7 m	4 m	4 m	4 m	4 m
Diopter adjustment	-2 / +2	-4 / +4	-4 / +4	-4 / +4	-4 / +4
Interpupillary distance	56 - 72 mm	56 - 74 mm	56 - 74 mm	56 - 74 mm	56 - 74 mm
Waterproof (max. depth/time)	0.5 m / 15 min.	0,5 m / 15 min.	0,5 m / 15 min.	0,5 m / 15 min.	0,5 m / 15 min.
Nitrogen filled	●	●	●	●	●
Eyecup system	Rubber pop-up ¹	RubberTwist-up ²	Rubber Twist-up ²	Rubber Twist-up ²	Rubber Twist-up ²
Thread for tripod	●	●	●	●	●
Dimensions	181 x 175 x 75 mm	117 x 115 x 40 mm	117 x 115 x 40 mm	130 x 126 x 45 mm	130 x 126 x 45 mm
Weight	940 g	325 g	325 g	450 g	450 g
Item no. / EAN	20160 / 40 00567 20160 1	20000 / 40 00567 20000 6	20001 / 40 00567 20001 7	20002 / 40 00567 20002 4	20003 / 40 00567 20003 1

Accessories: Ever-ready case, carrying strap, cleaning cloth, operating instructions.

Legend: ● = yes, ○ = no, ¹ = fold down eyecups, ² = twist-type snap-on eyecups

BRAUN binoculars excel in robustness, modern design and high-quality optics.



**BRAUN Compagno
8 x 42 WP**



**BRAUN Compagno
10 x 42 WP**



**BRAUN TREKKING
10 x 32 WP**



**BRAUN TREKKING
8 x 32 WP**



**BRAUN TREKKING
10 x 25 WP**

Folder page	9	9	13	13	13
Leisure + travel	●	●	●	●	●
Events	●	●	●	●	●
Outdoor	●	●	●	●	●
Bird + game watching, hunting	●	●	●	●	●
Astronomy	●	●	●	●	●
Magnification	8x	10x	10x	8x	10x
Lens system	ULTRALIT®	ULTRALIT®	ULTRALIT®	ULTRALIT®	ULTRALIT®
Lens diameter	42 mm	42 mm	32 mm	32 mm	25 mm
Light value	27,0	17,6	10,2	16,0	6,25
Twilight number	18,3	20,5	17,9	16,0	15,8
Prism	Porro, BAK-4	Porro, BAK-4	Dachkant BAK-4	Dachkant BAK-4	Dachkant BAK-4
Lens coating	-	-	kompl. Mehrfachvergütung	kompl. Mehrfachvergütung	kompl. Mehrfachvergütung
Focusing	Central	Central	Zentral	Zentral	Zentral
Exit pupil	5,2 mm	4,2 mm	3,2 mm	4,0 mm	2,5 mm
Eye relief	17,3 mm	16,1 mm	15 mm	16 mm	15,5 mm
Field of view	7,1°, 124 m / 1000 m	6,1°, 106 m / 1000 m	5,5°, 96 m / 1000 m	7,5°, 131 m / 1000 m	5,5°, 96 m / 1000 m
Close focus distance	4 m	4 m	1,5 m	1,5 m	1,5 m
Diopter adjustment	-4 / +4	-4 / +4	-4 / +4	-4 / +4	-4 / +4
Interpupillary distance	56 - 74 mm	56 - 74 mm	56 -74 mm	56 -74 mm	56 -74 mm
Waterproof (max. depth/time)	0,5 m / 15 min.	0,5 m / 15 min.	1,5 m / 3 min.	1,5 m / 3 min.	1,5 m / 3 min.
Nitrogen filled	●	●	●	●	●
Eyecup system	Rubber Twist-up ²	Rubber Twist-up ²	Gummi Twist-up ²	Gummi Twist-up ²	Gummi Twist-up ²
Thread for tripod	●	●	●	○	●
Dimensions	146 x 135 x 55 mm	146 x 135 x 55 mm	100 x 107 x 48 mm	110 x 107 x 48 mm	100 x 105 x 48 mm
Weight	550 g	550 g	500 g	500 g	290 g
Item no. / EAN	20004 / 40 00567 20004 8	20005 / 40 00567 20005 5	20155 / 40 00567 20155 7	20154 / 40 00567 20154 0	20153 / 40 00567 20153 3

Accessories: Ever-ready case, carrying strap, cleaning cloth, operating instructions.

Legend: ● = yes, ○ = no, ¹ = fold down eyecups, ² = twist-type snap-on eyecups

BRAUN binoculars excel in robustness, modern design and high-quality optics.



**BRAUN Binocular
8 x 42 WP**



**BRAUN Monocular
8 x 42 WP-C**



**BRAUN Binocular
10-30 x 60 Zoom**



**BRAUN Binocular
8-24 x 50 Zoom**



**BRAUN Binocular
16 x 50**

Folder page	11	15	17	17	19
Leisure + travel	●	●	●	●	●
Events	●	●	●	●	●
Outdoor	●	●	●	●	●
Bird + game watching, hunting	●	●	●	●	●
Astronomy	●	●	●	●	●
Magnification	8x	8x	10-30x	8-24x	16x
Lens system	ULTRALIT®	ULTRALIT®	ULTRALIT®	ULTRALIT®	ULTRALIT®
Lens diameter	42 mm	42 mm	60 mm	50 mm	50 mm
Light value	27,6	27,6	33,6-4	38,4 - 4,4	7,8
Twilight number	18,3	18,3	24,5-42,4	20,0 - 34,6	28,3
Prism	Dachkant BAK-4	Roof BAK-4	Porro BK 7	Porro, BK 7	Porro BK 7
Lens coating	●	●	●	●	●
Focusing	Zentral	Central	Central	Central	Central
Exit pupil	5,2 mm	5,25 mm	5,8-2 mm	2,1-6,2 mm	2,8 mm
Eye relief	17,8 mm	18 mm	4,5-11,7 mm	12,5-16,5 mm	6,6 mm
Field of view	6,8°, 119 m / 1000 m	7,0°, 112 m / 1000 m	2,0-3,6°, 62-34 m / 1000 m	4,5°-2,3°, 78-40 m / 1000 m	4,2°, 73 m / 1000 m
Close focus distance	4 m	13 m	15 m	10 m	10 m
Diopter adjustment	-4 / +4	-4 / +4	-4 / +4	-2 / +2	-4 / +4
Interpupillary distance	56 -74 mm	56 -74 mm	56-74 mm	56 -72 mm	56-74 mm
Waterproof (max. depth/time)	1,5 m / 3 min.	0,5 m / 20 min.	○	○	○
Nitrogen filled	●	●	○	○	○
Eyecup system	Gummi Twist-up ²	Rubber pop-up ²	Rubber pop-up ¹	Rubber pop-up ¹	Rubber pop-up ¹
Thread for tripod	●	○	●	●	●
Dimensions	146 x 126 x 53 mm	61 x 65 x 143 mm	245 x 165 x 78 mm	190 x 190 x 65 mm	157 x 184 x 60 mm
Weight	670 g	340 g	1100 g	850 g	790 g
Item no. / EAN	20150 / 40 00567 20150 2	20140 / 40 00567 20140 3	20117 / 40 00567 20117 5	20168 / 40 00567 20168 7	20124 / 40 00567 20124 3

Accessories: Ever-ready case, carrying strap, cleaning cloth, operating instructions.

Legend: ● = yes, ○ = no, ¹ = fold down eyecups, ² = twist-type snap-on eyecups

BRAUN binoculars excel in robustness, modern design and high-quality optics.



**BRAUN Binocular
12 x 50**



**BRAUN Binocular
7 x 50**



**BRAUN Binocular
10 x 50**



**BRAUN Binocular
8 x 40**



**BRAUN Binocular
10 x 25 titan-schwarz**

Folder page	19	21	19	21	23
Leisure + travel	●	●	●	●	●
Events	●	●	●	●	●
Outdoor	●	●	●	●	●
Bird + game watching, hunting	●	●	●	●	○
Astronomy	●	●	●	●	○
Magnification	12x	7x	10x	8x	10x
Lens system	ULTRALIT®	ULTRALIT®	ULTRALIT®	ULTRALIT®	ULTRALIT®
Lens diameter	50 mm	50 mm	50 mm	40 mm	25 mm
Light value	13	42.3	25	25	6.25
Twilight number	24.5	18.7	22.4	17.9	15.8
Prism	Porro BK 7	Porro BK 7	Porro BK 7	Porro BK 7	Roof BK 7
Lens coating	●	●	●	●	●
Focusing	Central	Central	Central	Central	Central
Exit pupil	3.6 mm	6.5 mm	5.0 mm	5.0 mm	2.5 mm
Eye relief	12.0 mm	15 mm	11.8 mm	11 mm	10.3 mm
Field of view	5.2°, 92 m / 1000 m	7.5°, 130 m / 1000 m	5.7°, 99 m / 1000 m	6.6°, 115 m / 1000 m	5.8°, 101 m / 1000 m
Close focus distance	10 m	10 m	10 m	10 m	2.5 m
Diopter adjustment	-4 / +4	-4 / +4	-4 / +4	-4 / +4	-4 / +4
Interpupillary distance	56–74 mm	56 -74 mm	56 -74 mm	56 -74 mm	56–74 mm
Waterproof (max. depth/time)	○	○	○	○	○
Nitrogen filled	○	○	○	○	○
Eyecup system	Rubber pop-up ¹	-	-	-	Rubber pop-up ¹
Thread for tripod	●	●	●	●	○
Dimensions	157 x 184 x 60 mm	190 x 190 x 65 mm	175 x 180 x 60 mm	140 x 175 x 60 mm	118 x 66 x 48 mm
Weight	790 g	850 g	820 g	700 g	190 g
Item no. / EAN	20125 / 40 00567 20125 0	20123 / 40 00567 20123 6	20166 / 40 00567 20123 6	20165 / 40 00567 20123 6	20121 / 40 00567 20121 2

Accessories: Ever-ready case, carrying strap, cleaning cloth, operating instructions.

Legend: ● = yes, ○ = no, ¹ = fold down eyecups, ² = twist-type snap-on eyecups

BRAUN binoculars excel in robustness, modern design and high-quality optics.



**BRAUN Binocular
10 x 25 schwarz**



**BRAUN Opera
3x25 gold-black**



**BRAUN Opera
3x25 gold-pearl**



**BRAUN Opera LED
3x25 gold-burgundy**



**BRAUN Ultralit Spectiv
15 - 45 x 60**

Folder page	23	25	25	25	27
Leisure + travel	●	-	-	-	●
Events	●	●	●	●	●
Outdoor	●	-	-	-	●
Bird + game watching, hunting	○	-	-	-	●
Astronomy	○	-	-	-	●
Magnification	10x	3x	3x	3x	15 - 45 x
Lens system	ULTRALIT®	ULTRALIT®	ULTRALIT®	ULTRALIT®	ULTRALIT®
Lens diameter	25 mm	25 mm	25 mm	25 mm	60 mm
Light value	6.25	68.9	68.9	68.9	16 - 2,2
Twilight number	15.8	8.7	8.7	8.7	30 - 52
Prism	Roof BK 7	Galilean BK 7	Galilean BK 7	Galilean BK 7	BK 7
Lens coating	●	●	●	●	Frontlinse
Focusing	Central	Central	Central	Central	Central
Exit pupil	2.5 mm	8.3 mm	8.3 mm	8.3 mm	4,0 - 1,5 mm
Eye relief	10.3 mm	-	-	-	12,0 - 15,0 mm
Field of view	5.8°, 101 m / 1000 m	6.0°, 105 m / 1000 m	6.0°, 105 m / 1000 m	6.0°, 105 m / 1000 m	2,2°-1,2°, 38 m - 21 m
Close focus distance	2.5 m	3 m	3 m	3 m	-
Diopter adjustment	-4 / +4	-	-	-	-
Interpupillary distance	56-74 mm	-	-	-	-
Waterproof (max. depth/time)	○	-	-	-	○
Nitrogen filled	○	○	○	○	○
Eyecup system	Rubber pop-up ¹	-	-	-	Rubber Twist-up ²
Thread for tripod	○	-	-	-	●
Dimensions	112 x 65 x 44 mm	110 x 50 x 32 mm	110 x 50 x 32 mm	110 x 50 x 32 mm	300 x 60 x 137 mm
Weight	180 g	140 g	140 g	140 g	675 g
Item no. / EAN	20122 / 40 00567 20122 9	20112 / 40 00567 20112 0	20113 / 40 00567 20113 7	20114 / 40 00567 20114 4	20130 / 40 00567 20130 4

Accessories: Ever-ready case, carrying strap, cleaning cloth, operating instructions. **Tripod included with Spectiv.**

Legend: ● = yes, ○ = no, ¹= fold down eyecups, ² = twist-type snap-on eyecups.

BRAUN binoculars excel in robustness, modern design and high-quality optics.



**BRAUN Ultralit Spectiv
20 - 60 x 60**

**BRAUN Ultralit Spectiv
20 - 60 x 80**

**BRAUN
Night Vision 3.0**

Folder page	27	27	29
Leisure + travel	●	●	●
Events	●	●	●
Outdoor	●	●	●
Bird + game watching, hunting	●	●	●
Astronomy	●	●	○
Magnification	20- 60 x	20- 60 x	3 x
Lens system	ULTRALIT®	ULTRALIT®	-
Lens diameter	60 mm	80 mm	14,5 mm
Light value	9 -1	16 - 1,7	-
Twilight number	34,6 - 60	40,0 - 69,3	-
Prism	BAK-4	BAK-4	-
Lens coating	Compl. multilayer coating	Compl. multilayer coating	-
Focusing	Central	Central	-
Exit pupil	3,0 - 1,0 mm	4,0 - 1,3 mm	20 mm
Eye relief	13,5 - 11,0 mm	13,5 - 11,0 mm	-
Field of view	1,8°-0,9°, 31 m - 16 m	1,9°-0,95°, 33 m - 16,5 m	14°
Close focus distance	-	-	1 m - Field of view by night max. 100 m
Diopter adjustment	-	-	-
Interpupillary distance	-	-	-
Waterproof (max. depth/time)	●	●	○
Nitrogen filled	●	●	○
Eyecup system	Rubber Twist-up ²	Rubber Twist-up ²	○
Thread for tripod	●	●	○
Dimensions	335 x 60 x 150 mm	438 x 95 x 150 mm	134 x 92 x 47 mm
Weight	775 g	1195 g	250 g
Item no. / EAN	20131 / 40 00567 20131 1	20132 / 40 00567 20132 8	20171 / 40 00567 20171 7

Voltage supply	4,5 - 6,0 V DC
Battery typ	4 x AA 1,5 V
Battery lifetime	2 - 3,5 Std.
Infrared lighting	integrity
Storage option	Micro-SD 32 G max.

Accessories: Ever-ready case, carrying strap, cleaning cloth, operating instructions. **Tripod included with Spectivs.**

Legend: ● = yes, ○ = no, ¹= fold down eyecups, ² = twist-type snap-on eyecups.



BRAUN
GERMANY

seit 1906

Merkurstraße 8

D-72184 Eutingen

Phone +49 (0) 74 57-94 65-60

Fax +49 (0) 74 57-94 65-72

www.braun-phototechnik.de

post@braun-phototechnik.de